



## **केंद्रीय भूमि जल बोर्ड**

जल संसाधन, नदी विकास और गंगा संरक्षण मंत्रालय

भारत सरकार

Central Ground Water Board

Ministry of Water Resources, River Development and Ganga

Rejuvenation

Government of India

**Report on**

## **AQUIFER MAPS AND MANAGEMENT PLAN**

**Sutrapada, Junagarh District, Gujarat**


पश्चिमी मध्य क्षेत्र, अहमदाबाद

West Central Region, Ahmedabad



भारत सरकार  
जल संसाधन, नदी विकास एवम् गंगा संरक्षण मंत्रालय  
केंद्रीय भूमि जल बोर्ड

GOVERNMENT OF INDIA  
MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT AND  
GANGA REJUVENATION



**REPORT ON  
AQUIFER MAPS & MANAGEMENT PLANS  
SUTRAPADA TALUKA, JUNAGADH DISTRICT, GUJARAT STATE**


**CENTRAL GROUND WATER BOARD  
WEST CENTRAL REGION**

**AHMEDABAD**

**REPORT ON  
AQUIFER MAPS & MANAGEMENT PLANS  
SUTRAPADA TALUKA, JUNAGADH DISTRICT, GUJARAT STATE**

**1. SALIENT FEATURES**

1	Name of the TALUKA & Area, Location (Fig-1)	<b>Sutrapada - 291.81 Km<sup>2</sup></b> 21°10'29" to 21°25'15" N 70°20'48" to 70°34'27" E			
2	No. of Town, villages				
3	District/State	Junagadh/Gujarat			
4	Population (2011 Census)	Male- 58754, Female- 57082, Total- 115,836			
5	Normal Rainfall (mm)	732.74 mm- Monsoon Rainfall (IMD) (in mm) (Long Term) 50 997.40 mm -Average Monsoon Rainfall (in mm) (2003-12)			
6	Agriculture (20015-16)	Kharif Crops		Rabi Crops	
		Crop	Area in Hact	Crop	Area in Hact
		Groundnut	18500	Wheat	5600
		Tal	0	Juvar	0
		Castor	0	Castor	0
				Gram	20
		Bajri	225	Bajri	810
		Tuver	0	Tuver	0
		Mug	135	Mug	0
		Udad	0	Mustered	0
		Cotton	1500	Isabgol	0
		Sugarcane	416	Sugarcane	700
		Vegetables	374	Vegetables	1400
		Fodder	2550	Fodder	1500
		Gam Guvar	0	Jira	10
		Soyabin	0	Onion	0
				Coriander	110
				Garlic	0
				Methi	0
		Total	23700	Total	10140
7	Existing and future water demands (MCM)	Sector		Existing (MCM)	Future (MCM) (Year 2025)
		Domestic and Industrial		370	4.97
		Irrigation		40.33	22.78
8	Water level behaviour (2015)(Fig-2 & 3)	21.80-37.20 m (Pre-monsoon)			



**Fig-1: Location Map**

**1. Hydrogeology:**

Mainly three formations form aquifers in the area (Fig.2) namely Basalt, Limestone and Alluvium. The limestone constitute both Miliolitic limestone and Gaj limestone, however the quality of water is saline in Gaj limestone at depths. Alluvium is surficial features and does not forms good aquifer though the quality of ground water is also saline at depth. Miliolite limestone occupies major parts of the taluka. It also occurs as small outliers in Gaj and Trap country. The limestone is karstified at places. It is made of remains of foraminifers Miliolite around which calcite grain have formed (Krishnan, 1968). In upstream area the basaltic aquifer is only aquifer where the ground water exists upto the depth of weathering and in the fracture zones wherever encountered in the depth. Two hydrogeological Cross sections are given in Fig. 3.

## Subsurface Hydrogeology

As inferred from borehole data of the Sutrapada Taluka, Miliolitic limestone and weathered and fractured Basalt forms the principal aquifer in the Taluka. Top portion of Gaj formation is ocherous limestone with pockets of yellow clay and is easily distinguishable from the overlying Miliolite limestone. It is horizontally bedded and dip at small angle towards the sea. The lower part of Gaj formation is of marine origin whereas part is estuarine (Krishnan, 1968). Groundwater in aquifers occurs under unconfined conditions and in the fractures encountered in the massive basaltic formation in the depth. The movement of groundwater is controlled by the extent of weathering, fracture and joints in the trap formation. Groundwater exploration has been done down to a max. depth of 123 mbgl and the average discharge ranges from 2 to 5 lps by compressor during drilling. The quality of water has Salinity problem particularly area close to vicinity of sea, Ghed area.

### 2. AQUIFER DISPOSITION

Name of aquifer	Aquifer material	Nature of aquifer	Aquifer depth and zone encountered (m)	Nature of porosity	Compressor discharge	Quality
Miliolitic Limestone	Limestone	Unconfined	0 to 30	Primary and secondary (Poreses, fractures and solution cavities)	-	-
Gaj limestone	Limestone	Unconfined & confined	0 to 110	Primary and Secondary (Pores, Fractures and solution cavities)	Average yield 201m <sup>3</sup> /day	Good to bad
Deccan Trap	Basalt	Unconfined (Weathered and fractured)	40 to 116 (max thickness 10 m.)	Secondary ( weathered & fracture)	1 to 2 lps	Fresh
		Deep Fracture (Massive & amygdolidal)	Explore up to the depth of 123 m	Secondary (fractures, joints, shears and flow contacts )	Compressor discharge 2 to 5 lps	Fresh






Fig 2: Aquifer disposition of the area





### Depth to water level:

Large part of the taluka is having depth to water level mostly between 20 to 40 m bgl. Decadal average water level mostly between the period of May 2006 and 2015 ranges from 3.86 to 32.90m bgl. (Fig5). The decadal average depth to water levels in general 10 to 20 mbgl on the area away from the coast whereas it is < 10 in the coastal area (Fig.5).

Long term groundwater fluctuation of water level for pre-monsoon and post-monsoon period are depicted in Fig. 6 & 7 for the period of 1987 to 2015. Ranges of the long-term fluctuation is given in Table below.

Pre-monsoon(1987-2015)				Post-monsoon(1987-2015)			
Rise		Fall		Rise		Fall	
Min	Max	Min	Max	Min	Max	Min	Max
0.60	1.05	16.85	16.85	1.30	1.80		0.60






Fig 4: DTW Map (Pre monsoon)




Fig 5: Decadal Average Depth to Water Level




Fig.6 Absolute fluctuation Pre-monsoon




Fig. 7 Absolute fluctuation Post-monsoon

Water Table map (Fig 8) shows water table are below msl to 50 m above msl and groundwater flow direction is from North-East to South-West.




Fig 8: Water Table map with flow direction

### 3. Groundwater resource extraction, contamination.

#### Dynamic GW Resources in MCM

Total groundwater availability of the area is estimated in year 2013 in fresh area is 86.49 MCM and total groundwater withdrawal for all purposes is 54.42MCM. The stage of groundwater development is 62.92% and the taluka is categorized "Safe" (Table 2).

Table: 2 Groundwater resources 2013

S No.	Item	Fresh	Saline
1	Area	144.10	193.50
2	Total GW Recharge (MCM)	71.66	43.52
3	Net GW Availability (MCM)	68.08	41.35
4	Gross Draft (MCM)	44.03	21.23
5	Net Availability for Future Irrigation (MCM)	22.78	20.00
6	Stage of GW Development %	64.67 (safe)	51.63 (safe)


### In Storage GW Resources

Typr of Rock Formation	Total Unit Area (sq km)	Fresh Area (sq km)	Saline/Brackish Area (sq km)	Depth of Bedrock(Soft Rock Areas/Depth upto which the aquifer is commonly Developed (HR Areas) (m)	Average Pre monsoon Water Level in (m)	Total saturated Thickness m	Thickness of the Granular Zone-Fracture zone/Productive Zone below Premonsoon WL(M)	Average Specific Yield (Sy) Fraction	FRESH In storage GW Resources (MCM)	BRACKISH/SALINE In storage GW Resources (MCM)
Alluvium	15.35	0	14.82	9.85	9.83	0.02		0.1	0.00	0.03
Basalt Weathered	4.78	4.78	0	18.43	13.59	4.84		0.02	0.46	0.00
Basalt-Massive-Fractured zone		4.78					11.49	0.01	0.55	0.00
Milliolitic Limestone	305.16	198.2	106.65	21.79	14.96	6.83		0.1	135.37	72.84
	325.29	202.98	121.47						136.38	72.87


### Chemical quality of groundwater

Groundwater quality in general is good. Salinity is expressed in terms of total dissolved solids (TDS). Most of the area in the taluka (Fig. 9 ) falls TDS ranges 400 to 2000 mg/litre except the coastal ara where TDS ranges 2000 to 2720. Min. &Max. ranges of some of the constituents is given in the following Table.

Taluka	Total dissolved solids		Cl		F		HCO <sub>3</sub>	
	Min	Max	Min	Max	Min	Max	Min	Max
Sutrapada	770	2720	320	1440	0.13	1.58	220	439



**Fig.9 Iso-TDS May 2015**



**Fig. 10 Iso-Chloride May 2015**

### Ground Water Issues

- Salinity Ingress
- Inherent Salinity of Gaj Formation
- Sustainability of hard rock Aquifers
- Non Availability of sufficient Surface Water for Irrigation.
- Lack of awareness and involvement of stake holders in decision making.

#### 4. Groundwater resource enhancement.

**Table-3 Computation of volume (MCM) of water required for recharge**

Aquifer	Volume of unsaturated zone available for artificial recharge	Specific yield factor	Volume of water required for recharge MCM	Volume of rain water planned for Artificial recharge (MCM)
Basalt	10.14	0.02	0.20	0.05
Milliolitic Limestone	195.74	0.1	19.57	0.49
<b>Total</b>	<b>205.88</b>		<b>19.77</b>	<b>0.54</b>

**Table: 4 Computation of Recharge structures.**

<b>Aquifer</b>	Area feasible for artificial recharge Sq. Km	Volume of rain water planned for Artificial recharge (MCM)	Volume of water planned for conservation through Farm Pond	Volume of water planned for recharge through Check Dam	No of Farm Pond (Unit storage 0.05MCM)	No of Check Dam (Unit 0.05 MCM)
<b>Basalt</b>	3.38	0.09	0.05	0.05	0	0
<b>Milliolic Limestone</b>	65.25	1.76	1.27	0.49	25	9
	68.63	1.85	1.31	0.54	25	9

### **Financial Outlay of the Plan**

The total estimated cost of the Plan is 343.77 lakh, which includes Rs 72 lakh for ground water recharge activities, Rs 250 lakh (Farm ponds), 5.4 lakh for ground water monitoring (Piezometer construction) and Rs 16.37 lakh towards operation and maintenance charges. The tentative cost estimates of the various activities of the Plan are shown in Table 5.

**Table: 5 Cost estimates of Recharge structures and monitoring well (Piezometers):**


Feasible Artificial Recharge & Water Conservation structures/ activities	Tentative Design	Quantity (in nos. or area in sq. m)	Rainwater harvested (mcm )	Tentative unit cost (in Rs lakh)	Total tentative cost (in Rs lakh)	Expected Annual GW recharge/ conservation (mcm)
<b>Recharge Structures/ Activities</b>						
Check Dam		9	0.45	8	72	0.41
Sub total					72	0.41
<b>Water Conservation Activities</b>						
Farm Pond (3 fillings)	( 30 m x 30m x 1.5 m) 900 sq.m or 0.1 ha	25	1.25	10	250	0.875
<b>Impact assessment &amp; Monitoring</b>						
Piezometer	Up to 80 m bgl	9		0.6	5.4	
<i>Impact assessment will be carried out by implemneting agency</i>						
O & M - 5% of total cost of the scheme					16.37	
<b>TOTAL</b>					<b>343.77</b>	

*Note: Type, number and cost of structure may vary according to site after ground verification*

The tentative location of villages for construction of Check Dams and their cost estimates are shown in Fig. 11 and Table 6.

**Table-6 : TENTATIVE LIST OF VILLAGES WHERE ARTIFICIAL RECHARGE STRUCTREUS CAN BE TAKEN UP**

Sr. No.	Village Name	Sr. No.	Village Name
1	Anand Para	6	Navagam
2	Gorakh Madhi	7	Tobra
3	Khambha	8	Umbri
4	Lakhapara	9	Virodar
5	Mahobatpara		



**Fig. 11 tentative location of Check Dams**

### 1. Demand Side Management:

As the surface water is not available to improve the supply of water, demand side management is essential.

**Table: 7 Crop wise area in Hectares covered under micro irrigation methods (source Gujarat Green Revolution Company, Vadodara, Gujarat).**

CROP	Area in Ha.	CROP	Area in Ha.	CROP	Area in Ha.
Banana	0.8	GRAM	43.4	PAPAYA	1.7
BITTER GUARD	77.69	GREEN GRAM	9.96	POTATO	0.4
BOTTLE GUARD	177.66	GROUNDNUT	1520.19	RIDGEGOURD	17.57
BRINJAL	0.84	GUVAR	0.8	Sapota	1.93
CASTOR	18.43	KANTOLA	10.93	SPONGE GOURD	3.63
COCONUT	18.62	LEADY'S FINGER	0.32	SUGARCANE	37.04
COTTON	271.39	LEMON	14	VEGETABLE	1.06
GARLIC	2.28	LITTLE GUARD	1.68	WHEAT	53.8
		Mango	33.38	Grand Total	2319.5

### Water use efficiency by Drip Irrigation in Rabi crop season:

An area of 2320 hectare is covered by micro-irrigation scheme (MIS) under different crops grown in the district (Table 7). It is estimated the groundwater saving in the district by adopting the drip irrigation method to the main crop in Rabi season is about 7.34 MCM. It is estimated saving of groundwater through Drip irrigation separately to the Crop Cotton and Groundnut are 0.6 MCM and 7.34 MCM respectively (Table 8).

Table :8 Groundwater saving by Drip irrigation in MCM

Taluka	Rabi_Crops	Cotton crop		Grounut crop		Total
		Summer	Kharif	Summer	Kharif	
Sutrapada	7.34	0.18	0.43	3.67	3.67	15.28

### Expected Benefits or outcome of the Plan

Ground water recharge and water conservation Plan of Sutrapada Taluka, Junagadh district envisages gainful utilization of 0.54 MCM of volume of rain water planned for recharging of depleted aquifer system. Besides this, the proposed intervention would also lead to reduction of pre-existing ground water draft by 1.31 MCM annually through construction of farm ponds. By adopting the micro-irrigation area in the remaining area conserve the 15.28 MCM of groundwater draft in the district.

With the additional recharge and water conservation interventions as proposed in the Plan, it is anticipated that with enhanced recharge and reduction in ground water draft, the stage of ground water development will reduce to 40% from the existing 65%. The projected status of ground water resources and utilization scenario is presented in table 9.

Table :9 Projected Status of Groundwater Resource & Utilization on Recharge and Micro-Irrigation Interventions

Taluka	Net G.W. Availability (MCM)	Additional Recharge from RWH (mcm)	Total Net G.W. Availability after intervention (mcm)	Existing G.W. Draft for all purpose (mcm)	Saving of Ground water through conservation (mcm)	Saving of Ground water through MIS (mcm)	Net GW draft after interventions (mcm)	Present stage of G.W. development (%)	Projected stage of G.W. Development (in %)
Sutrapada	68.08	0.54	68.62	44.03	1.31	15.28	27.44	65	40



### Projected irrigation potential:

It is estimated 1771 Ha additional irrigation potential may be created in the taluka on 70% of groundwater development Table 10.

Table: 10 Irrigation command area on 70% of development of groundwater

District	Development %	Net G.W. Availability (MCM)	Additional Recharge from RWH (mcm)	Total Net G.W. Availability after intervention (mcm)	Max GW available on 70% development MCM	Existing G.W Draft for all purpose (mcm)	Balanced GW available on 70% development and Existing Draft	Saving of Ground water through conservation (mcm)	Net GW available for withdrawal after interventions (mcm)	Average crop water requirement by Drip Irrigationm	Additional area to be Irrigate in sq. km	Area can be Irrigate in Ha
Sutrapafa	70	68.08	0.54	68.62	48.03	44.03	4.00	1.31	5.31	0.30	17.71	1770.68

### CONCLUSION AND RECOMMENDATION:

1. It is recommended to increase the recharge of groundwater from external surface water sources. It is also important to properly maintain and timely operate the existing recharge and salinity control structures.
2. Recommended to construct the 9 check dam and 25 Farm ponds in the Taluka to recharge 0.54 MCM and conserve 1.31 MCM of rainfall runoff.
3. During the electrification of well/ bore wells, the micro-irrigation through drip/sprinkler irrigation should be made mandatory, so as to minimize use of groundwater.
4. 6300 Hectares area may brought under micro-irrigation to adopt Drip method to save about 7.34 MCM of water during the Rabi crop season.
5. 10188 Hectare Groundnut crop area during pre-Kharif season and last phase of Kharif season may brought under Drip irrigation to save 7.34 MCM of water.
6. 700 Hectare Cotton crop area during pre-Kharif season and last phase of Kharif season may brought under Drip irrigation to save 0.6 MCM of water.

7. 1771 Hectare land may additionally irrigated on 70% of groundwater development and observing all intervention proposed.

- **The implementation of the project would result in additional recharge. The other tangible/ non-tangible benefits of the project are:**
  - ❑ Recharging the ground water will help in arresting the rapid decline in ground water resources and will also ensure improvement in quality of ground water by way of dilution.
  - ❑ Proposed structures and measures will also enhance the ground water potential and would ensure sustainability of ground water resources.
  - ❑ Surface runoff water stored or harnessed can be used as supplemental irrigational resources and will reduce the stress on the ground water.
  - ❑ Besides, it will also help in reducing the amount and spate of storm water being drained by river and controlling soil erosion.

