

केंद्रीय भूमि जल बोर्ड

जल संसाधन, नदी विकास और गंगा संरक्षण मंत्रालय

भारत सरकार

Central Ground Water Board

Ministry of Water Resources, River Development and Ganga Rejuvenation Government of India

Report on

AQUIFER MAPPING AND MANAGEMENT PLAN

Machareddy Mandal, Nizamabad District, Telangana

दक्षिणी क्षेत्र, हैदराबाद

Southern Region, Hyderabad




भारत सरकार जल संसाधन नदी विकास एवम् गंगा संरक्षण मंत्रालय केंद्रीय भूमिजल बोर्ड

GOVERNMENT OF INDIA MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT AND GANGA REJUVENATION

REPORT ON

AQUIFER MAPS & MANAGEMENT PLANS

MACHAREDDY MANDAL, NIZAMABAD DISTRICT, TELANGANA STATE



CENTRAL GROUND WATER BOARD SOUTHERN REGION HYDERABAD AUGUST-2016

REPORT ON AQUIFER MAPS & MANAGEMENT PLANS MACHAREDDY MANDAL, NIZAMABAD DISTRICT, TELANGANA STATE

	SALIENT FEATURES		,
1	Name of the Mandal/Area	:	MACHAREDDY/325 Km ²
	Revenue Division		NIZAMABAD
	Location		EL78 ⁰ 22'40.37"- 78 ⁰ 33'48.08"
	(Fig-1)		NL18 ⁰ 15'28.90"-18 ⁰ 29'6.07"
2	No. of Revenue villages	:	24
3	District/State	:	Nizamabad/Telangana
4	Population /Density (2011 Census)	:	58443/180 per Km ²
5	1 , , ,		1
3	Normal Rainfall (mm)	:	` /
	A atual Bainfall(2014, 2015)(mm)		-Non-Monsoon:208.60 mm (22%) 575.6
	Actual Rainfall(2014-2015)(mm)		
6	Agriculture (Ha) (2014-15):	:	Kharif season:
			1. Net area sown: 5676
			2. Paddy: 2435 (43%)
			3. Maize: 2141(38%)
			4. Total oil seeds: 198(3%)
			5. Total pulses: 246 (4%)
			6. Cotton: 220(4%)
			7. Other crops: 436(8%)
			Rabi season:
			1. Net area sown: 1964
			2. Paddy: 813 (41%)
			3. Maize: 694(35%)
			4. Total pulses: 197(10%)
			5. Other crops : 260(13%)
7	Irrigation (2014-15) (Ha)	:	1. Gross irrigated area: 4650
			2. Net irrigated area: 2883
			3. Area irrigated more than once: 1767
			• Ground water: 4650
8	Existing and future water demands		Domestic & Industrial
	(MCM)		• Existing:0.51
			• Future (year 2025): 2.11
			Irrigation (Existing): 28.35
9	Depth to water level (m bgl)	:	5-22 m (Pre-monsoon)
			14-27 m (Post-monsoon)
	AQUIFER DISPOSITION	:	
10	No of Aquifers	:	2
11	3-D aquifer disposition and basic	:	Geology-Granites
	characteristics of each aquifer		Aqufer-1 (Weathered Zone):
	(3D: Fig-2a		Weathering varies from 12-25 m
	Section Layout:2b		Transmissivity(T): 6-181 m ² /day
	Sections: 2c & 2d)		Specific Yield (Sy):0.2 to 2 %
			Aquifer-2 (Fractured Zone):
			Depth of fracturing varies from 25-75 m.
			Transmissivity (T): 10-117 m ² /day
			Specific storage (S):0.00001-0.02

			Cumulative yield (Aq1 and Aq 2) (lps): 1.5 to 3.5				
12	Ground water Issues	:					
			 Anthropogenic contamination by nitrate. 				
			• Sustainability of wells (3-4 hrs).				
13	Ground water resource availability	:	Net GW availability :40.38				
	and extraction		• Gross Ground Water draft for				
	(MCM)		Irrigation:29.24				
			 Gross Ground water draft for domestic and 				
			industrial supply:0.51				
			• Gross GW draft:30.45				
			 Stage of ground water development:75% 				
			Category: Semi-Critical				
14	Ground water extraction	:	No .of ground water extraction structures:7212				
			No. of Dug wells :884				
			No . of Bore wells:6328				
15	Chemical quality of ground water	:	Pre-monsoon				
	and contamination		EC (μS/cm) min: 700 max:1200				
			NO_3 (mg/L): Min :5 and max 50				
			F (mg/L): Min 0.5 and Max:0.75				
			Post-monsoon				
			EC (μS/cm) min: 650 and max:1200				
			NO ₃ (mg/L): Min :5 and max :95				
			F (mg/L): Min :0.5 and Max 2.25				
			2 villages are affected with high				
16	Curred Water Dechange Commis		fluoride(f>1.5mg/l) MCM				
16 16.1	Ground Water Recharge Scenario Recharge from Rainfall (Monsoon)	:	22.35				
16.1	Recharge from Other sources	:	7.24				
10.2	(Tanks and applied irrigation)	•	7.24				
	(Monsoon)						
16.3	Recharge from rainfall (Non-	:	7.29				
10.5	Monsoon)	•	1.2)				
16.4	Recharge from Other sources	:	7.99				
	(Tanks and applied irrigation) (Non-						
	Monsoon)						
16.5	Total annual GW Recharge	:	44.87				
16.6	Natural Discharge	:	4.49				
16.7	Existing Minor Irrigation	:	118				
	Tanks(nos)						
16.8	Storage from existing tanks	:	1.61				
16.9	Existing Artificial Recharge	:	43/37/3000				
	Structures (PT, CD and Farm ponds)						
17	Storage from existing AR Structures	:	126.2				




Fig-1: Location Map of Machareddy Mandal




Fig-2(a-d): 3 D map and Sections.

GW MANAGEMENT STRATEGIES, MACHAREDDY MANDAL, NIZAMABAD DISTRICT

A	WATER RESOURCE AVAILABILITY		
	• Ground water (as per GEC 2012-13)	:	40.38 MCM
	• Surface Water (as per 2014-15	:	-
	irrigation data)		
	 Total water availability 	:	40.38 MCM
(a)	Ground Water Resource Enhancement		
	(Table-1)		
	Supply side Interventions		
1	Aquifer wise space available for recharge and proposed interventions	:	11-24 m
2	Volume of Un-saturated zone (upto 3mbgl)	•	4583.2 MCM
3	Recharge Potential (Sy 2%)	•	91.7 MCM
4	Utilizable Yield (MCM) available for ARS	:	7.77 MCM
5	No. of Check dams (CD's) / Mini percolation tanks (MPT's) recommended	:	238 (CDs:118+PTs:120)
6	Total Cost of ARS	:	17.9 Cr
7	Expected Ground Water Recharge through ARS	:	3.9 MCM
8	Water Conservation Measures (WCM) (Farm Ponds)	:	180
9	Total Cost of WCM	:	0.45 Cr
10	Mission Kakatiya- Repair & Renovation of existing Tanks	:	0.32 MCM (30 tanks)
11	Proposed tanks to be taken up in phased manner		88 tanks (@0.01 MCM)
12	Expected GW Recharge under Mission Kakatiya	:	0.10MCM(30 % of capacity)
13	Mission Bhagiratha (Providing drinking water needs to the entire population) @ 100 lpcd/person (rural) and 135 (urban) from surface water source from outside the mandal area (From River Krishna)	:	2.13 MCM/year
14	Net Saving of Ground water from Mission Bhagiratha	:	1.28 MCM/year
(b)	DEMAND SIDE INTERVENTION		
15	Existing Micro Irrigation Intervention & Gross area irrigated	:	102 Micro irrigation units/105.08 ha
16	Proposed Micro Irrigation	:	2400 ha in 24 Villages @ 100 ha in each non command village.
17	Cost for micro-irrigation	:	14.4 Cr@ 0.60 lakhs per ha.
18	Expected ground water saving from micro-irrigation	:	4.8 MCM of water is expected to be conserved.
(c)	REGULATION & COMMUNITY INTERVENTIONS		
19	Regulation and control	:	 WALTA-Act to be implemented in true spirit. Regulation of power supply in 2

(d)	OTHER INTERVENTIONS SUGGESTED		spells @ 4 hours/spell to increase bore well/GW sustainability. As mandatory measures power connection may be given to only those farmers who are adopting micro irrigation for all new bore well to be constructed. Participatory Ground Water Management with community and women participation. Paddy cultivation during rabi season should be reduced and to be shifted to ID Crops and drought resistant crops. If necessary some regulatory rules may be framed and implemented. In the existing ground water areas sharing of ground water amongst the users to be encouraged to increase the sustainability of wells by reducing well interference. The bore well owner should be suitably compensated for the cost of well by funding to farmers for adopting micro irrigation practices by the Govt.
(e)	EXPECTED RESULTS AND OUTCOME		22.77
20	Total Cost of Interventions (Excluding Mission Kakatiya and Bhagiratha)	:	32.75 Cr
21	Likely benefit of Interventions	:	~10.08 MCM ground water can be saved from the above interventions. The stage of Ground water development may likely to be come down by 15 % (from 75 % to 60%).

Table-1: Village wise list of Artificial Recharge Structures Recommended.

S.No	Village	Unsaturated thickness upto 3 m. bgl (m.)	Village Recharge potential MCM (upto 3 m.bgl)	20% of Runoff for AR MCM	Proposed CD's	Proposed PT's	Total cost	Expected GW Recharge in MCM
	Priority-1	m	MCM	MCM	NO.	NO.	Lakhs	MCM
1	Antampalle	18	1.16	0.09	2	2	30	0.05
2	Bhavanipet	11	3.41	0.44	8	6	100	0.22
3	Devunipalle	15	1.63	0.15	3	2	35	0.08
4	Palvancha	12	1.97	0.25	5	5	75	0.12
5	Potaram	19	1.41	0.10	2	2	30	0.05
6	Rameshwarpalle	18	0.45	0.04	1	1	15	0.02
7	Singaraipalle	24	2.46	0.14	2	3	40	0.07
8	Wadi	17	0.88	0.07	0	0	0	0.04
9	Yellapgonda	15	2.71	0.27	1	3	35	0.13
	Priority- 1(Total)				24	24	360	0.78
	Priority-2							
1	Akkapur	20	4.00	0.28	4	4	60	0.14
2	Annaram	16	7.85	0.73	13	9	155	0.37
3	Chukkapur	18	4.57	0.36	6	6	90	0.18
4	Faridpet	19	5.37	0.39	7	7	105	0.20
5	Ghanpur (M)	22	6.09	0.39	5	6	85	0.20
6	Ghanpur (R)	20	2.35	0.18	0	2	20	0.09
7	Isaipet	18	5.49	0.43	4	6	80	0.21
8	Lachapet	14	4.36	0.45	6	8	110	0.23
9	Machareedy	18	6.40	0.54	7	9	125	0.27
10	Maddikunta	15	8.94	0.84	16	16	240	0.42
11	Rajkhanpet	22	3.02	0.19	2	3	40	0.10
12	Reddipet	15	6.98	0.67	12	8	140	0.33
13	Tadkapalle	21	2.61	0.18	3	2	35	0.09
14	Yellampet	19	7.56	0.57	9	10	145	0.28
	Priority-2 (Total)				94	96	1430	3.11
	Total (P-1&P-2)				118	120	1790	3.88