



## **केंद्रीय भूमि जल बोर्ड**

जल संसाधन, नदी विकास और गंगा संरक्षण मंत्रालय

भारत सरकार

Central Ground Water Board

Ministry of Water Resources, River Development and Ganga

Rejuvenation

Government of India

Report on

## **AQUIFER MAPPING AND MANAGEMENT PLAN**

**Yellareddy Mandal, Nizamabad District, Telangana**

दक्षिणी क्षेत्र, हैदराबाद


Southern Region, Hyderabad



भारत सरकार  
जल संसाधन नदी विकास एवम् गंगा संरक्षण मंत्रालय  
केंद्रीय भूमिजल बोर्ड

GOVERNMENT OF INDIA  
MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT AND  
GANGA REJUVENATION

**REPORT ON**  
**AQUIFER MAPS & MANAGEMENT PLANS**  
**YELLAREDDY MANDAL, NIZAMABAD DISTRICT, TELANGANA STATE**




**CENTRAL GROUND WATER BOARD**  
**SOUTHERN REGION**  
**HYDERABAD**  
**AUGUST-2016**


**REPORT ON  
AQUIFER MAPS & MANAGEMENT PLANS  
YELLAREDDY MANDAL, NIZAMABAD DISTRICT, TELANGANA STATE**

<b>SALIENT FEATURES</b>		
1	Name of the Mandal/Area Revenue Division Location <b>(Fig-1)</b>	: <b>YELLAREDDY/200 Km<sup>2</sup> NIZAMABAD NL77°57'38.56"- 78°5'47.67" EL18°6'55.53"-18°19'35.10"</b>
2	No. of Revenue villages	: <b>31</b>
3	District/State	: <b>Nizamabad/Telangana</b>
4	Population /Density (2011 Census)	: 46253/231 per Km <sup>2</sup>
5	Normal Rainfall (mm)  Actual Rainfall(2014-2015)(mm)	: 1191.5 -Monsoon: 1003.8mm (84%) -Non-Monsoon:187.70 mm (16%)  698
6	Agriculture (Ha) (2014-15):	: Kharif season 1. Net area sown: 1930 2. Paddy: 1679 (87%) 3. Total oil seeds: 48(2%) 4. Maize: 86(4%) 5. Other crops: 108(7%) Rabi season : 1. Net area sown: 1747 2. Paddy: 611(35%) 3. Maize: 6199(35%) 4. Total oil seeds: 34(2%) 5. Total pulses: 50(3%) 6. Other crops: 433(25%)
7	Irrigation (2014-15) (Ha)	: 1. Gross irrigated area: 3528 2. Net irrigated area: 1785 3. Area irrigated more than once: 1743 • Ground water: 3528
8	Existing and future water demands (MCM)	Domestic & Industrial • Existing:0.82 • Future (year 2025): 1.74 Irrigation (Existing): 16.10
9	Depth to water level (m bgl)	: up to17 m (Pre-monsoon) up to 18 m (Post-monsoon)
<b>AQUIFER DISPOSITION</b>		:
10	No of Aquifers	: 2
11	3-D aquifer disposition and basic characteristics of each aquifer <b>(3D: Fig-2a Section Layout:2b Sections: 2c &amp; 2d)</b>	: <b>Geology-Granites</b> <b>Aquifer-1 (Weathered Zone):</b> Weathering varies from 9-19 m Transmissivity(T): 6-181 m <sup>2</sup> /day Specific Yield (Sy):0.2 to 2 % <b>Aquifer-2 (Fractured Zone):</b> Depth of fracturing varies from 25-105 m. Transmissivity (T): 10-117 m <sup>2</sup> /day Specific storage (S):0.00001-0.02 Cumulative yield (Aq1 and Aq 2) (lps): 2.5 to 7

12	Ground water Issues	:	<ul style="list-style-type: none"> <li>• Geogenic contamination by fluoride.</li> <li>• Anthropogenic contamination by nitrate.</li> <li>• Sustainability of wells (3-4 hrs).</li> </ul>
13	Ground water resource availability and extraction (MCM)	:	<ul style="list-style-type: none"> <li>• Net GW availability :34.80</li> <li>• Gross Ground Water draft for Irrigation:15.40</li> <li>• Gross Ground water draft for domestic and industrial supply:0.82</li> <li>• Gross GW draft:16.22</li> <li>• Stage of ground water development: 47 %</li> <li>• Category: Safe</li> </ul>
14	Ground water extraction	:	No of ground water extraction structures:3798 <ul style="list-style-type: none"> <li>• Dug wells :445</li> <li>• Bore wells:3353</li> </ul>
15	Chemical quality of ground water and contamination	:	<b>Pre-monsoon</b> EC ( $\mu\text{S}/\text{cm}$ ) min: 200 max:1300 NO <sub>3</sub> (mg/L): Min :2 and max:145 F (mg/L): Min : 0.1 and Max:1.5 <b>Post-monsoon</b> EC ( $\mu\text{S}/\text{cm}$ ) min: 375 max:1100 NO <sub>3</sub> (mg/L): Min :1 and max :75 F (mg/L): Min :0.1 and Max :1.75 1 village are affected with high fluoride( $f > 1.5\text{mg/l}$ )
16	<b>Ground Water Recharge Scenario</b>	:	<b>MCM</b>
16.1	Recharge from Rainfall (Monsoon)	:	20.74
16.2	Recharge from Other sources (Tanks and applied irrigation) (Monsoon)	:	5.25
16.3	Recharge from rainfall (Non-Monsoon)	:	5.25
16.4	Recharge from Other sources (Tanks and applied irrigation) (Non-Monsoon)	:	6.21
16.5	Total annual GW Recharge	:	37.45
16.6	Natural Discharge	:	2.64
16.7	Existing Minor Irrigation Tanks(nos)	:	81
16.8	Storage from existing tanks	:	4.43
16.9	Existing Artificial Recharge Structures (PT, CD and Farm ponds)	:	257/20/1940
17	Storage from existing AR Structures	:	1.28



**Fig-1: Location Map of Yellareddy Mandal.**



**Fig-2(a-d): 3 D map and Sections.**

**GW MANAGEMENT STRATEGIES, YELLAREDDY MANDAL, NIZAMABAD DISTRICT**

<b>A</b>	<b>WATER RESOURCE AVAILABILITY</b>		
	• Ground water (as per GEC 2012-13)	:	34.80 MCM
	• Surface Water (as per 2014-15 irrigation data)	:	-
	• Total water availability	:	34.80 MCM
<b>(a)</b>	<b>Ground Water Resource Enhancement (Table-1)</b>		
	<b>Supply side Interventions</b>		
1	Aquifer wise space available for recharge and proposed interventions	:	2-15 m
2	Volume of Un-saturated zone (upto 3mbgl)	:	1473.7 MCM
3	Recharge Potential (Sy 2%)		29.5 MCM
4	Utilizable Yield available for ARS	:	10.78 MCM
5	No. of Check dams (CD's) / Mini percolation tanks (MPT's) recommended	:	341 (CDs:186+PTs155)
6	Total Cost of ARS	:	24.8 Cr
7	Expected Ground Water Recharge through ARS	:	5.4 MCM
8	Water Conservation Measures (WCM) (Farm Ponds)	:	140
9	Total Cost of WCM	:	0.35 Cr
10	<b>Mission Kakatiya-</b> Repair & Renovation of existing Tanks	:	0.24 MCM (31 tanks)
11	Proposed tanks to be taken up in phased manner		50 tanks (@0.01 MCM)
12	Expected GW Recharge under <b>Mission Kakatiya</b>	:	0.07 MCM(30 % of capacity)
13	<b>Mission Bhagiratha</b> (Providing drinking water needs to the entire population) @ 100 lpcd/person (rural) and 135 (urban) from surface water source from outside the mandal area ( <b>From River Krishna</b> )	:	1.69MCM/year
14	Net Saving of Ground water from <b>Mission Bhagiratha</b>	:	1.01 MCM/year
<b>(b)</b>	<b>DEMAND SIDE INTERVENTION</b>		
15	Existing Micro Irrigation Intervention & Gross area irrigated	:	26 Micro irrigation units/24.32 ha
16	Proposed Micro Irrigation	:	1300 ha in 13 Villages @ 100 ha in each non command village.
17	Cost for micro-irrigation	:	7.8 Cr@ 0.60 lakhs per ha.
18	Expected ground water saving from micro-irrigation	:	2.6 MCM of water is expected to be conserved.
<b>(c)</b>	<b>REGULATION &amp; COMMUNITY INTERVENTIONS</b>		
19	Regulation and control	:	<ul style="list-style-type: none"> <li>• WALTA-Act to be implemented in true spirit.</li> <li>• Regulation of power supply in 2</li> </ul>

			<p>spells @ 4 hours/spell to increase bore well/GW sustainability.</p> <ul style="list-style-type: none"> <li>• As mandatory measures power connection may be given to only those farmers who are adopting micro irrigation for all new bore well to be constructed.</li> </ul>
(d)	<b>OTHER INTERVENTIONS SUGGESTED</b>	:	<ul style="list-style-type: none"> <li>• Participatory Ground Water Management with community and women participation.</li> <li>• Paddy cultivation during rabi season should be reduced and to be shifted to ID Crops and drought resistant crops. If necessary some regulatory rules may be framed and implemented.</li> <li>• In the existing ground water areas sharing of ground water amongst the users to be encouraged to increase the sustainability of wells by reducing well interference.</li> <li>• The bore well owner should be suitably compensated for the cost of well by funding to farmers for adopting micro irrigation practices by the Govt.</li> </ul>
(e)	<b>EXPECTED RESULTS AND OUTCOME</b>		
20	Total Cost of Interventions (Excluding Mission Kakatiya and Bhagiratha)	:	32.95 Cr
21	Likely benefit of Interventions	:	~9.08 MCM ground water can be saved from the above interventions. The stage of Ground water development may likely to be come down by 10 % (from 47% to 37%).



**Table-1: Village wise list of Artificial Recharge Structures Recommended.**

S.No	Village	Unsaturated thickness upto 3 m. bgl (m.)	Village Recharge potential MCM (upto 3 m.bgl)	20% of Runoff for AR MCM	Proposed CD's	Proposed PT's	Total cost	Expected GW Recharge in MCM
	Priority-1	m	MCM	MCM	NO.	NO.	Lakhs	MCM
1	Gandimasanipet	7	0.84	0.33	6	5	80	0.17
2	Hajipur	7	0.29	0.17	2	2	30	0.09
3	Mathadpalle	2	0.03	0.03	0	0	0	0.02
4	Misanpalle	7	0.40	0.16	2	0	10	0.08
5	Venkatapur	9	1.32	0.42	8	6	100	0.21
6	Machapur	11	1.00	0.25	5	5	75	0.12
7	Yellareddy	7	1.49	0.58	11	9	145	0.29
8	Repallewada	6	0.18	0.11	1	1	15	0.06
9	Shivvapur	11	0.61	0.15	2	2	30	0.08
	<b>Priority-1(Total)</b>				<b>37</b>	<b>30</b>	<b>485</b>	<b>1.10</b>
	<b>Priority-2</b>							
1	Advilingal	7	1.49	0.59	10	9	140	0.29
2	Annasagar	5	0.49	0.27	4	3	50	0.14
3	Hemagiri	15	4.30	0.78	15	14	215	0.39
4	Jankampalle(Khund)	8	0.44	0.17	3	0	15	0.09
5	Kottal	8	0.61	0.21	3	3	45	0.10
6	Laxmapur	7	0.98	0.38	6	3	60	0.19
7	Lingareddipet	6	1.31	0.60	10	10	150	0.30
8	Somawarpet	5	0.58	0.32	5	5	75	0.16
9	Timmapur	8	1.86	0.71	13	9	155	0.36
10	Timmareddy	4	0.67	0.46	9	7	115	0.23
11	Vellutla	9	4.63	1.41	25	23	355	0.70
12	Venkatapur(Agraharam)	8	0.50	0.17	3	3	45	0.09
13	Bhiknoor	10	1.07	0.29	5	4	65	0.15
14	Brahmanpalle	8	0.37	0.13	2	0	10	0.06
15	Daval Malakapalle	6	0.14	0.06	1	0	5	0.03
16	Devanpalle	7	0.17	0.07	1	0	5	0.03
17	Jangmaipalle	7	1.65	0.76	15	14	215	0.38
18	Mallipalle	8	0.31	0.11	1	1	15	0.06
19	Mathmal	7	0.67	0.27	5	4	65	0.14
20	Moulanakhed	6	0.10	0.05	0	0	0	0.03
21	Rudraram	4	0.84	0.68	12	13	190	0.34
22	Safdaram	6	0.16	0.08	1	0	5	0.04
	<b>Priority-2 (Total)</b>				<b>149</b>	<b>125</b>	<b>1995</b>	<b>4.29</b>
	<b>Total (P-1&amp;P-2)</b>				<b>186</b>	<b>155</b>	<b>2480</b>	<b>5.39</b>

