

Tel : 0172-5021969

Exton. : 469

E-mail: eediv2-cgwb@nic.in

No. Div. II/ST-24/2022- 397
Government of India,
Central Ground Water Board,
Division No. II,
Bhujal Bhawan,
Plot No. 3B, Sector-27A,
Chandigarh – 160019.

Dated: 29.06.2022
30

To

The Officer In Charge,
National Data Center,
CGWB, Bhujal Bhawan,
NH-IV, Faridabad.

Sub: Uploading of GeM Bid for Procurement of Shouldary Double fly Tent 3.66mt. X 3.66mt. Complete.

Ref: GEM Bid No. GEM/2022/B/23003722 dated 29.06.2022.

Sir,

With reference to above, please find enclosed herewith hard copy of a GEM Bid No. GEM/2022/B/23003722 dated 29.06.2022 for procurement of 50 nos. Shouldary Double fly Tent 3.66mt. X 3.66mt. complete with full specification & drawing of Shouldary Double fly Tent for uploading in the CGWB website. The soft copy of the saame is also sent to you by E-mail. It is requested to kindly upload on CGWB Website www.cgwb.gov.in for wide publicity at the earliest.

Yours faithfully,


Executive Engineer

Copy to the Regional Director, Central Ground Water Board, North Western Region, Chandigarh for information please.


Executive Engineer

Bid Document

Bid Details	
Bid End Date/Time	18-07-2022 17:00:00
Bid Opening Date/Time	18-07-2022 17:30:00
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Ministry Of Water Resources River Development And Ganga Rejuvenation
Department Name	Na
Organisation Name	Central Ground Water Board (cgwb)
Office Name	North Western Region
Total Quantity	50
Item Category	Shouldary Double Fly Tent (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)	5 Lakh (s)
Years of Past Experience Required for same/similar service	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
RCM Applicable	Yes
Time allowed for Technical Clarifications during technical evaluation	4 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
---------------	---------------------

EMD Percentage(%)	3.00
EMD Amount	33782

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

EXECUTIVE ENGINEER

Ministry of Jal Shakti, Department of Water Resources River Development and Ganga Rejuvenation, Central Ground Water Board, Division II, Ambala City (Haryana)

(L. Ramakrishna)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Shouldary Double Fly Tent (50 set)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
CONSTRUCTION	General Requirements for Tents	As per BIS specification No IS 7609- 1988
INNER FLY	Purdahs (Flaps)	As per clause 3.5 of IS 7609- 1988
SIZE	Size	3.66 m X 3.66 m
ADVANCE SAMPLE	Agree to provide Advance Sample(s) (swatches of basic fabrics) for buyer's approval before commencement of supply	Yes
TEST REPORT	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

Additional Specification Parameters - Shouldary Double Fly Tent (50 set)

Specification Parameter Name	Bid Requirement (Allowed Values)
Sample of Each Fabric Layer of Size 1.00 meter. x 1.00 meter. should be provided to this office for evolution before the Opening of BID	Sample of Each Fabric Layer of Size 1.00 meter. x 1.00 meter. should be provided to this office for evolution before the Opening of BID

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	NA	NA	Yes

Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	133004,P-3, Sector-11, HUDA, Near Gurudwara Sector-10, Jalbera Road, Ambala City	50	45

Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Sample Clause

For clothing and allied items, if pre-dispatch Inspection clause has been selected in the Bid, the Inspection Agency shall forward sample from the accepted lot duly identified/ sealed by it, as Reference Sample to each consignee (one reference sample per consignee) for comparing the lot received at consignee end with such reference sample. Such reference samples will be treated as part of supplied quantity from the lot and cost shall be borne by the Buyer.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of The Executive Engineer, CGWB, Division II, Ambala payable at Ambala Cantt. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

7. Generic

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

8. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Loading and unloading at the yard will be under the scope of supplier

9. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---

SECTION VI
TECHNICAL
SPECIFICATIONS

(I) DETAILED SPECIFICATIONS FOR SHOULDRARY DOUBLE FLY WATER REPELLENT TENT (3.66 M X 3.66 M)

GENERAL:-

The quality of material used in the manufacture or supplied with the tent, the method of manufacture of components, the workmanship and making etc., shall be in accordance with D.G.S. & D specification No: G/Tex/T-1 read with D.G.S. & D Drg No.22624(Annexure-I) and shall be binding on the contractor. Leading dimensions are shown in the Schedule 'A'.

Sl	Material	Specification
1	Polyester + Viscose(90:10)-410 gsm or Polyester + Cotton(67:33)-410 gsm	PROV/S/4369/FWP PV/RIP/TC-11/1(a) or IS- 7866:1993 reaffirmed 2014, Color- Olive Green
2	Drill cotton Yellow (printed)	IS: 177-1989 (Reaffirmed 2003) (V. No. 3)
3	Drill cotton dyed Blue	IS: 177-1989 (Reaffirmed 2003) (V. No. 3)
4	Tape cotton newer un dyed	IS: 1895-1982 (Reaffirmed 2002)
5	Rope cotton un dyed	IS: 2452-1985. (Reaffirmed 2001)

DETAILED DESCRIPTION:

Tents shall be double fly. It shall consist of an outer fly with hoods and an inner fly provided with overlapping purdahs at each end and walls.

OUTER FLY: The outer fly shall be composed of 2 folds of cloth in the following order :-

- (a) On the exterior [Polyester + Viscose(90:10)-410gsm] or Polyester +Viscose (67:33)-410 gsm with minimum breaking load wrap 2500N and weft:1800N
- (b) Drill cotton dyed Blue inside with minimum of 255 gram per square meter and having minimum breaking strength of 1075 N (Wrap) and 625 N(Weft) .

It will have a hood at each end. The size of hood will be 0.76M X 1M. The edges of the hoods shall be strengthened with 50mm Newar placed between folds of cloths. It shall be broader by 0.6M at the bottom edge than the inner fly. It shall be 0.45M above the ground level. It shall be provided with Guy ropes. The Guy ropes at the ends will pass through the point of each hood, one end spliced round the cap and the other end passing through the point of each hood and placed between two pieces of 50mm Newar. A small circular tab will be fixed at the point of each hood.

INNER FLY: The inner fly shall be composed of 2 folds of cloth in the following order:

- (a) On the exterior [Polyester + Viscose(90:10)-410gsm] or Polyester +Viscose (67:33)-410 gsm with minimum breaking load wrap 2500N and weft:1800N
- b). Drill cotton dyed yellow (printed) inside.

NB : The face side of Drill cotton used in both the layers shall be visible from outside i.e. the back sides of the drill cotton in both the layers shall face each other.

1. Both the flies shall be strengthened with 50mm Newar and 19/20mm cotton rope piping. The rope piping shall be enclosed by an extra Newar 50mm. For construction see clause 21 of DGS&D specification No.G/Tex/T-1.
2. (a) **Ridge of outer fly :** Ridge of outer fly : A strip of 65mm or higher 75mm Newar with 25mm cotton rope laid above it shall be inserted between Polyester + Viscose(90:10)-410 gsm or Polyester + Cotton(67:33)-410 gsm and blue drill connecting two ridges caps. The side edges of Newar shall be stitched to the folds of cloth and the newar and rope shall be well within the ridge cap and secured by quilting. The rope shall form a loop round the cap and secured tightly.

Ridge of the inner fly : Ridge of the inner fly : The ridge of inner fly shall be formed by inserting a strip of 75mm or higher 100mm Newar between the folds of Polyester + Viscose(90:10)-410 gsm or Polyester +

Cotton(67:33)-410 gsm with 25mm diameter cotton rope so laid on the underside of the ridge and over the middle tape between the caps that the cloth of the fly and centre strip of Newar shall be doubled over the rope and sewn together with 3mm line cotton to form a beading. Loops made of 2 folds of 50mm Newar shall be stitched to the ridge for suspending it from the ridge pole. The rope shall form a loop round the cap and secured tightly.

3. Walls of inner fly: The inside layer of the walls shall be in continuation of the fly. Aluminium dees shall be provided at the bottom of walls and purdahs on each strengthening Newar. All corners should be kept open and provided with eyelets and lacing loops to close or open as required. Also see clause 25 of DGS&D Specification No. G/Tex/T-1 for construction.
4. Purdahs (Flaps):
See clause 24 of DGS&D Specification No. G/Tex/T-1 for construction.
5. (a) Fitting : A 50mm Newar shall be sewn over the folds of cloth at the bottom edges of the walls and purdahs of the inner fly so that the cloth do not make direct contact with the ground when pitched.
(b) Ventilators : The inner fly should be provided with 2 ventilators 45cm X 30cm, with the square mesh mosquito netting Bleached and two vertical and one horizontal Newar 40mm, machine stitched on the netting. The ventilators should be positioned on the either side of the central strengthening tape at equal distances.
6. Stitching: Minimum two layers of stitching should be given using cotton sewing tread 16 Tex/6 Tex or higher thickness complying to IS:1720, having minimum breaking load of 22.1N (2.25 Kgf) Min
The 50mm cotton newar should have 25 grams per meter and minimum breaking load of 1420 N
The 65mm cotton newar should have 31 grams per meter and minimum breaking load of 1770 N
The 75mm cotton Newar should have 37 grams per meter and minimum breaking load of 2126N
The 100mm cotton Newar should have 50 grams per meter and minimum breaking load of 2830N

LIST OF ACCESSORIES REQUIRED WITH THE TENT.


- Durry of the size of the main room(3.66 M X 3.66 M) = 1 No.
- HDPE (675 gms) quality bag for the flies = 01 No.
- HDPE (675 gms) bag for steel pins
- HDPE bag for wooden pins = 01 No.
- Iron Hammer (1 Kg weight) = 01 No.
- Wooden Mallet = 01 No.
- Bamboo standing poles, Bamboo ridge pole, steel pins and wooden pegs

SHOULDARY DOUBLE FLY WATER REPELLENT TENT (3.66 m X 3.66 m)

SCHEDULE - A

Size of Tents	Heights			Standing Pole			Ridge Pole			Outer Fly Guy ropes 20mm diameter cotton rope (Min Breaking load 7.7 kn)	Side & corner ropes to each fly	No. of wooden pegs with each Tent	No. of Iron pins with each Tent			
	Outer Fly	Inner Fly	Walls	No.	Dia	Length	No.	Dia	Length					No.	Length	
3.66m X 3.66m	2.6 m	2.3 m	0.9 m	2	51mm	2.6 m	1	51mm	3.66m	4	4.6m	N 0	1 2	2m	28	22

er the
the rope
-hall be
red



SHOULDARY DOUBLE FLY WATER REPELLENT TENT

(Dimensions and Other Requirements)

Size of Tents	Height			Standing Pole			Ridge Pole			Outer Fly Guy Ropes- 16 mm diameter Cotton Rope		Side & Corner Ropes to each fly- 16 mm dia Cotton Ropes		No. Of wooden pegs with each Tent	No. Of Iron pins with each Tent
	Outer Fly	Inner Fly	Walls	Nos.	Dia.	Length	Nos.	Dia.	Length	Nos.	Length	Nos.	Length	Nos.	Nos.
4.88 m X 4.88 m	3.0 m	2.75 m	0.9 m	3	51 mm	3 m	2	51 mm	2.44 m	4	5.5 m	14	2 m	32	24
4.27 m X 4.27 m	2.7 m	2.44 m	0.9 m	3	51 mm	2.75 m	2	51 mm	2.135 m	4	4.6 m	14	2 m	32	24
3.66 m X 3.66 m	2.6 m	2.3 m	0.9 m	2	51 mm	2.6 m	1	51 mm	3.66 m	4	4.6 m	12	2 m	28	22
3.0 m X 3.0 m	2.3 m	2.13 m	0.9 m	2	44 mm	2.3 m	1	44 mm	3.0 m	2	4.3 m	10	2 m	22	16
2.44 m X 2.44 m	2.2 m	2.0 m	0.9 m	2	44 mm	2.2 m	1	44 mm	2.44 m	2	4.3 m	8	1.8 m	18	14

Note-

For dimensions and other important requirements Director of Quality Assurance (DGS&D) Provisional Specification No- DQA/ Delhi/ Tex/ Tents/ 1 (Shouldaries Double Fly Water Repellent) has been referred..