

केंद्रीय भूमि जल बोर्ड

जल संसाधन, नदी विकास और गंगा संरक्षण मंत्रालय

भारत सरकार

Central Ground Water Board

Ministry of Water Resources, River Development and Ganga Rejuvenation Government of India

Report on

AQUIFER MAPPING AND MANAGEMENT PLAN

Armur Mandal, Nizamabad District, Telangana

दक्षिणी क्षेत्र, हैदराबाद Southern Region, Hyderabad

REPORT ON AQUIFER MAPS& MANAGEMENT PLANS ARMUR MANDAL, NIZAMABAD DISTRICT, TELANGANA STATE

SALIENT FEATURES		
	١.	ARMUR/229Km ²
	•	NIZAMABAD
		EL78 ⁰ 10'17.05"- 78 ⁰ 21'2.03"
		NL18 ⁰ 44'21.03"-18 ⁰ 55'40.75"
. 6 /		23
		Nizamabad/Telangana
	_	121987/533 per Km ²
· ·		-
Normal Rainfall (mm)	:	1072.3 (Monsoon: 867.7 (81%)
A . 1D : 611 ()(2014 2015)		(Non-Monsoon:204.60 (19%))
` ' ' ` ' ` ' ' ' ' ' ' ' ' ' ' ' ' ' '		661.2
Agriculture (2014-15)(Ha)	:	Kharif season:
		1. Net area sown: 11290
		2. Total oil seeds:5971(53%)
		3. Paddy: 2235(20%)
		4. Maize: 1466 (13%)
		5. Total spices:1390 (12%)
		6. Other crops:221(2%)
		Rabi season:
		1. Net area sown: 8766
		2. Paddy: 1674(19%)
		3. Vegetables: 780 (9 %)
		4. Total oil seeds:736(8%)
		5. Bajra: 500 (6%)
		6. Total pulses:17(1%)
		7. Total spices:113(1%)
		8. Maize: 87(1%)
		9. Other crops: 4859 (55%)
Irrigation (2014-15) (Ha)	:	1. Gross irrigated area: 14065
		2. Net irrigated area: 5316
		3. Area irrigated more than once: 8749
		• Ground water: 13968
		• Surface water (Tanks):97
Existing and future water demands		Domestic & Industrial
(MCM)		• Existing:0.45
		• Future (year 2025): 7.02
		Irrigation (Existing): 35.28
Depth to water level (m bgl)	:	Pre-monsoon: 9-17
		Post-monsoon: 11-20
AQUIFER DISPOSITION	:	
No of Aquifers	:	2
3-D aquifer disposition and basic	:	Geology-Granites
characteristics of each aquifer		Aqufer-1 (Weathered Zone):
(3D: Fig-2a		varies from 7-22 m
Section Layout:2b		Transmissivity(T): 6-181 m ² /day
Sections: 2c & 2d)	1	Specific Yield (Sy):0.2 to 2 %
	Existing and future water demands (MCM) Depth to water level (m bgl) AQUIFER DISPOSITION No of Aquifers 3-D aquifer disposition and basic characteristics of each aquifer (3D: Fig-2a)	Name of the Mandal/Area Revenue Division Location (Fig-1) No. of Revenue villages District/State Population /Density (2011 Census) Normal Rainfall (mm) Actual Rainfall (mm)(2014-2015) Agriculture (2014-15)(Ha) Irrigation (2014-15) (Ha) Existing and future water demands (MCM) Depth to water level (m bgl) AQUIFER DISPOSITION No of Aquifers 3-D aquifer disposition and basic characteristics of each aquifer (3D: Fig-2a

			Aquifer-2 (Fractured Zone):
			Depth of fracturing varies from 10-30 m.
			Transmissivity (T): 10-117 m ² /day
			• • •
			Specific storage (S):0.00001-0.02
10			Cumulative yield (Aq1 and Aq2) (lps): 0.5 to 6
12	Ground water Issues	:	 Anthropogenic contamination by nitrate.
			• Sustainability of wells (3-4 hrs).
13	Ground water resource availability	:	Net GW availability :39.67
	and extraction		• Gross Ground Water draft for
	(MCM)		Irrigation:31.93
			Gross Ground water draft for domestic and
			industrial supply:0.45
			• Gross GW draft:32.38
			• Stage of ground water development: 82 %
14	Ground water extraction	:	Category: Semi Critical Ground water extraction structures: 8387 no's
14	Ground water extraction	•	
			Bore wells:8058 no's
1.5			• Dug wells:329 no's
15	Chemical quality of ground water	:	Pre-monsoon
	and contamination		EC (μS/cm) min: 700 and max:1750
			NO ₃ (mg/L): Min:30 and max 125
			F (mg/L): Min 0.25 and Max:1.5
			Post-monsoon
			EC (μS/cm) min: 700 and max:1400
			NO ₃ (mg/L): Min 10 and max 75
			F (mg/L): Min: 1 and Max :1.5
			2 villages are affected with high
			Fluoride(f>1.5mg/l)
16	Ground Water Recharge Scenario	:	MCM
16.1	Recharge from Rainfall (Monsoon)	:	21.60
16.2	Recharge from Other sources	:	8.66
	(Tanks and applied irrigation)		
	(Monsoon)		
16.3	Recharge from rainfall (Non-	:	3.57
	Monsoon)		
16.4	Recharge from Other sources	:	10.25
	(Tanks and applied irrigation) (Non-		
	Monsoon)		
16.5	Total annual GW Recharge	:	44.07
16.6	Natural Discharge	:	4.41
16.7	Existing Minor Irrigation	:	57
	Tanks(nos)		
16.8	Storage from existing tanks	:	0.61
16.9	Existing Artificial Recharge	:	21/13/380
	Structures (PT, CD and Farm ponds)		
17	Storage from existing AR Structures	:	0.35
	Storage from embang rife budetates	ı •	0.00




Fig-1: Location Map of Armur Mandal.




Fig-2(a-d): 3 D map and Sections.

GW MANAGEMENT STRATEGIES, ARMUR MANDAL, NIZAMABAD DISTRICT

A	WATER RESOURCE AVAILABILITY		
	Ground water (as per GEC 2012-13)	:	39.67 MCM
	Surface Water(as per 2014-15 irrigation	:	0.8MCM
	data)		
	Total water availability	:	40.47MCM
(a)	Ground Water Resource Enhancement		
` '	(Table-1)		
	Supply side Interventions		
1	Aquifer wise space available for recharge and	:	10-17 m
	proposed interventions		
2	Volume of Un-saturated zone (upto 3mbgl)	:	2476 MCM
3	Recharge Potential (Sy2 %)		49.5 MCM
5	Utilizable Yield available for ARS	:	7.6 MCM
6	No. of Check dams (CD's) / Mini percolation	:	261 (134 CD's+127PT's)
	tanks (MPT's) recommended		
7	Total Cost of ARS	:	19.4 Cr
8	Expected Ground Water Recharge through ARS	:	3.8 MCM
9	Water Conservation Measures (WCM) (Farm	:	40
	Ponds)		
10	Total Cost of WCM	:	0.1 Cr
11	Mission Kakatiya- Repair & Renovation of	:	0.66 MCM (27 tanks)
	existing Tanks		
12	Proposed tanks to be taken up in phased manner		30 tanks (@0.01 MCM)
13	Expected GW Recharge under Mission	:	0.20 MCM(30 % of capacity)
	Kakatiya		
14	Mission Bhagiratha (Providing drinking water	:	5.03MCM/year
	needs to the entire population) @ 100		
	lpcd/person (rural) and 135 (urban) from surface		
	water source from outside the mandal area		
	(From SRSP- River Godavari)		
15	Net Saving of Ground water from Mission	:	2.67 MCM/year
(3.)	Bhagiratha		
(b)	DEMAND SIDE INTERVENTION		202.15
16	Existing Micro Irrigation Intervention & Gross	:	393 Micro irrigation units/390 ha
17	area irrigated		2001 : 23711
17	Proposed Micro Irrigation	:	200 ha in 2 Villages @ 100 ha in each
10	Cont for mineral indication	+-	Non-command village.
18	Cost for micro-irrigation	:	1.2 Cr@ 0.60 lakhs per ha.
19	Expected ground water saving from micro-	;	0.4 MCM of water is expected to be
(a)	irrigation		conserved.
(c)	REGULATION & COMMUNITY INTERVENTIONS		
20		١.	2 WALTA Act to be
20	Regulation and control	'	WALTA-Act to be implemented in true spirit
			implemented in true spirit.
			• Regulation of power supply in 2 spells @ 4 hours/spell to
			increase bore well/GW
			increase dore wen/Gw

			sustainability. • As mandatory measures power connection may be given to only those farmers who are adopting micro irrigation for all new bore well to be constructed.
(d)	OTHER INTERVENTIONS SUGGESTED	:	 Participatory Ground Water Management with community and women participation. Paddy cultivation during rabi season should be reduced and to be shifted to ID Crops and drought resistant crops. If necessary some regulatory rules may be framed and implemented. In the existing ground water areas sharing of ground water amongst the users to be encouraged to increase the sustainability of wells by reducing well interference. The bore well owner should be suitably compensated for the cost of well by funding to farmers for adopting micro irrigation practices by the Govt.
(e)	EXPECTED RESULTS AND OUTCOME		GOVI.
21	Total Cost of Interventions (Excluding Mission Kakatiya and Bhagiratha)	:	20.7Cr
22	Likely benefit of Interventions	:	~7.07 MCM ground water can be saved from the above interventions. The stage of Ground water development may likely to be come down by 13 % (from 82 % to 69%).

Table-1: Village wise list of Artificial Recharge Structures Recommended.

S.No	Village	Unsaturated thickness upto 3 m. bgl (m.)	Village Recharge potential MCM (upto 3 m.bgl)	20% of Runoff for AR MCM	Proposed CD's	Proposed PT's	Total cost	Expected GW Recharge in MCM
	Priority-1	m	MCM	MCM	NO.	NO.	Lakhs	MCM
1	Aloor	16	4.44	0.57	10	10	150	0.29
2	Ankapur	12	2.07	0.36	7	6	95	0.18
3	Armur (pt)	15	1.18	0.19	4	3	50	0.10
4	Komanpalle	10	1.44	0.30	4	5	70	0.15
5	Manthani	14	1.34	0.20	3	2	35	0.10
6	Perkit	14	2.77	0.40	8	8	120	0.20
7	Rampur	16	0.90	0.11	1	1	15	0.06
8	Surabiryal	11	1.40	0.26	4	4	60	0.13
9	Mamidipalle	11	1.62	0.30	5	5	75	0.15
10	Kothaarmur	12	1.12	0.19	4	4	60	0.10
	Priority-1 (total)				50	48	730	1.444
	Priority-2							
11	Amdapur	12	1.21	0.24	5	4	65	0.12
12	Chepur	11	2.64	0.49	9	9	135	0.25
13	Degaon	16	4.52	0.59	10	10	150	0.30
14	Fathepur	12	2.08	0.37	6	6	90	0.18
15	Gaggupalle	16	1.54	0.20	3	3	45	0.10
16	Issapalle	16	2.36	0.31	6	5	80	0.15
17	Khanapur	11	1.61	0.31	5	5	75	0.15
18	Macherla	17	4.24	0.51	10	9	140	0.25
19	Magidi	12	3.49	0.60	10	10	150	0.30
20	Merdhapalle	16	1.54	0.20	4	3	50	0.10
21	Pipri	14	4.06	0.60	11	10	155	0.30
22	Govindpet	13	1.97	0.32	5	5	75	0.16
23	Priority-2 (total)				84	79	1210	2.362
	Total (P-1&P-2)				134	127	1940	3.806