



## केंद्रीय भूमि जल बोर्ड

जल संसाधन, नदी विकास और गंगा संरक्षण

विभाग, जल शक्ति मंत्रालय

भारत सरकार

### **Central Ground Water Board**

Department of Water Resources, River  
Development and Ganga Rejuvenation,  
Ministry of Jal Shakti  
Government of India

## **AQUIFER MAPPING AND MANAGEMENT OF GROUND WATER RESOURCES MORAPPUR FIRKA, DHARMAPURI DISTRICT, TAMIL NADU**

दक्षिण पूर्वी तटीय क्षेत्र, चेन्नई

South Eastern Coastal Region, Chennai

REPORT ON  
AQUIFER DISPOSITION & MANAGEMENT PLAN  
**MORAPPUR FIRKA,**  
DHARMAPURI DISTRICT, TAMIL NADU STATE

**SALIENT FEATURES**

1	Name of the Firka/ Area (Sq.Km.)	:	MORAPPUR	169.76 Sq.km
	Revenue Division		Morappur	
	Location	Lat	:	
		Long	:	
2	Number of Revenue Villages	:	56	
3	District	State	:	Dharmapuri TAMIL NADU
4	Population (2011 Census)	:	47337	
5	<b>Normal Rainfall (mm)</b>	:		<b>820.60</b>
			Monsoon	673.05
			Non-monsoon	147.55
6	<b>Agriculture (2012-13) (Ha)</b>		1. Gross Irrigated Area	3274.24
		:	2. Paddy	576.73
			3. Sugar cane	978.38
			4. Banana	19.30
			5. Other Crops	1574.41
			6. Groundwater	1574.41
			7. Surface Water	505.39
7	Existing and future water demands (ham)	:		131.28
			Domestic & Industrial	
			Existing	72.72
			Future(year 2025)	82.66
8	Water Level Behaviour (mbgl)	:	Pre-monsoon	5.43 – 24.4 m bgl
			Post-monsoon	3.93 –13.70 m bgl

**AQUIFER DISPOSITION**

9	Number of Aqifers	:	2
10	3D Aquifer disposition and basic characteristics of each Aquifer	:	Geology- Charnockite and Gniess

**Aquifer I (Weathered Zone)**


Thickness varies from 5.85 – 22.30 m

	Transmissivity (T):	5.2 – 78.4 m <sup>2</sup> /day													
	Specific Yield (Sy):	0.08 to 11 %													
	Aquifer II (Fractured Zone)														
	Depth of fracturing varies from	22.30 – 158.2 m													
	Transmissivity (T):	6- 124.6 m <sup>2</sup> /day													
	Specific Storage (S):	0.00001- 0.02													
	Cumulative Yield (Aqifer I & II):	0.3 – 1.8 lps													
11	Groundwater Issues	:	<ul style="list-style-type: none"> <li>• Geogenic contamination by Fluoride.</li> <li>• Sustainability of wells (1-2 hrs).</li> </ul>												
12	Groundwater Resource Availability and Extraction (2012-13)	:	<table border="0"> <tbody> <tr> <td>Net Groundwater availability:</td> <td>15.2368 MCM</td> </tr> <tr> <td>Gross Groundwater draft for irrigation:</td> <td>16.1200 MCM</td> </tr> <tr> <td>Gross Groundwater draft for domestic &amp; industrial supply:</td> <td>0.7272 MCM</td> </tr> <tr> <td>Gross Groundwater draft:</td> <td>16.8472 MCM</td> </tr> <tr> <td>Stage of Groundwater development:</td> <td>111%</td> </tr> <tr> <td>Category:</td> <td>Over Exploited</td> </tr> </tbody> </table>	Net Groundwater availability:	15.2368 MCM	Gross Groundwater draft for irrigation:	16.1200 MCM	Gross Groundwater draft for domestic & industrial supply:	0.7272 MCM	Gross Groundwater draft:	16.8472 MCM	Stage of Groundwater development:	111%	Category:	Over Exploited
Net Groundwater availability:	15.2368 MCM														
Gross Groundwater draft for irrigation:	16.1200 MCM														
Gross Groundwater draft for domestic & industrial supply:	0.7272 MCM														
Gross Groundwater draft:	16.8472 MCM														
Stage of Groundwater development:	111%														
Category:	Over Exploited														
13	Groundwater Extraction	:	<table border="0"> <tbody> <tr> <td>Groundwater extrttaction structures (Numbers)</td> <td>3832</td> </tr> <tr> <td>    Bore wells:</td> <td>88</td> </tr> <tr> <td>    Dug wells:</td> <td>3744</td> </tr> </tbody> </table>	Groundwater extrttaction structures (Numbers)	3832	Bore wells:	88	Dug wells:	3744						
Groundwater extrttaction structures (Numbers)	3832														
Bore wells:	88														
Dug wells:	3744														
14	Chemical Quality of Groundwater, Contamination and its suitability	:	<table border="0"> <thead> <tr> <th></th> <th>Min</th> <th>Max</th> </tr> </thead> <tbody> <tr> <td>EC (µS/cm)</td> <td>562</td> <td>2620</td> </tr> <tr> <td>NO<sub>3</sub> (mg/l)</td> <td>1</td> <td>66</td> </tr> <tr> <td>F (mg/l)</td> <td>0.01</td> <td>1.88</td> </tr> </tbody> </table>		Min	Max	EC (µS/cm)	562	2620	NO <sub>3</sub> (mg/l)	1	66	F (mg/l)	0.01	1.88
	Min	Max													
EC (µS/cm)	562	2620													
NO <sub>3</sub> (mg/l)	1	66													
F (mg/l)	0.01	1.88													
<b>15</b>	<b>Groundwater Recharge Scenario</b>														
15.1	Recharge from Rainfall (Monsoon)		6.7169 MCM												
15.2	Recharge from Other Sources (Monsoon)		7.0185 MCM												
15.3	Recharge from Rainfall (Non-		1.8406 MCM												

monsoon)

15.4	Recharge from Other Sources (Non-monsoon)	1.3538 MCM
15.5	Total Annual Groundwater Recharge	16.9298 MCM
15.6	Natural Discharge	1.6930 MCM
15.7	Proposed area of farm pond (Area in Hectares)	1201
15.8	Storage from existing tanks (MCM)	2.898 MCM
16	Storage from existing AR Structures (MCM)	3.962 MCM

Fig -



**Fig-2: 3 D map and 2D - Sections.**

